

TECHNICAL DATA SHEET SEA TOUR

(MARINE ALGAE EXTRACT POWDER FERTILIZER)

DESCRIPTION: Sea Tour is high quality seaweed extract with balanced amino acids. They have been used for many years to promote vigorous, healthy and tasty crops. Sea Tour is recommended for use during periods of high biotic and abiotic stress conditions, during germination, transplanting, bud formation, fruit set, rapid fruit development. Sea Tour is also recommended for use during times when low temperatures are a problem.

TECHNICAL SPECIFICATIONS:

Physical Form: Water Soluble Powder Fertilizer
Product Colour: Black
Product Odour: Sea Scent
Shelf Life: 4 years
Origin: TURKEY
Producer: SAMI KUCUKKOCA TARIM TICARET

COMPOSITION (w/w):

Potassium Oxide (K₂O) 14.0%
Total Amino Acids 3.0%
Total Nitrogen 0.7%
Phosphorous Penta Oxide (P₂O₅)..... 0.4%
Ph: 8 – 10

Ingredients : Derived from pure North Atlantic Seaweed *Ascophyllum nodosum* and Potassium Hydroxide.

ADVANTAGES AND PROPERTIES :

- Increases vegetative growth
- Increases root development
- Promotes early flowering
- Improves the assimilation of micronutrients
- Anti-stress effect
- Greater resistance to post-transplantation
- Increases agricultural production

DIRECTIONS FOR USE :

Potatoes: Sea Tour can be used at planting or as a foliar spray during crop development.

At planting: 0.4 Kg/ha diluted in water and applied in the furrow with the seed. This is to increase the number of tubers and the yield.

Foliar spray: 0.4 Kg/ha at the beginning of the tuber followed by an additional 0.4 Kg/ha at growth. It's about providing energy to increase performance.

Field vegetables: Apply 0.5 Kg/ha at the 4-8 leaf stage.

Small fruit trees: Use 50 grams per 100 liters of water. Apply as runoff. Apply in late winter before flowering, repeat in autumn on ripe fruit.

Mature fruit trees: Apply 10 grams in 12 liters of water per tree. Apply as runoff. Apply in late winter before flowering, repeat in autumn on ripe fruit.

Cucurbits: Apply 0.6 Kg/ha applied at peak growth and repeat after 14 days.

Grapes: Apply 0.4 Kg/ha early in the season plus 0.7 Kg/ha mid-season to obtain good coverage.

PACKING : 0.25 - 0.5 - 1 - 2 - 5 - 10 - 25 Kg.

APPROPRIATE WAREHOUSE CONDITIONS: Try to keep the product between + 5, - 25 C in its original packaging far from the human, animal and food. Be aware of direct sunlight.

USAGE SECURITY REGULATIONS : This product is not toxic. After usage wash your hands and face with water and soap.